

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
825.1	Georges Bank Oceanographic Lighted Buoy A						Remove from list. * 51/04
825.2	Georges Bank Oceanographic Lighted Buoy L						Remove from list. * 51/04
825.3	Georges Bank Oceanographic Lighted Buoy F						Remove from list. * 51/04
830	NOAA Data Lighted Buoy 44025 (ODAS)						Remove from list. * 51/04
1363	- Lighted Whistle Buoy GRC						Remove from list. * 51/04
4366	University of Maine Oceanographic Lighted Buoy C						Remove from list. * 51/04
4405	GRINDEL POINT LIGHT	44 16 53 N 68 56 35 W	FI W 4s	39	5	White square tower.	
		*	*				51/04
*15106	NSTAR Nantucket Sound Channel Cable Crossing Lighted Buoy A		FI W 4s			White and orange.	Private aid. 51/04
*15107	NSTAR Nantucket Sound Channel Cable Crossing Lighted Buoy B		FI W 4s			White and orange.	Private aid. 51/04
*15108	NSTAR Nantucket Sound Channel Cable Crossing Lighted Buoy C		FI W 4s			White and orange.	Private aid. 51/04
*15109	NSTAR Nantucket Sound Channel Cable Crossing Lighted Buoy D		FI W 4s			White and orange.	Private aid. 51/04
*15551	NSTAR Nantucket Sound Channel Cable Crossing Lighted Buoy E		FI W 4s			White and orange.	Private aid. 51/04
16082	Bird Island Bell Buoy 3						Remove from list. * 51/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16190	- LIGHT 14						Remove from list. * 51/04
17500	- Channel Buoy 16						Remove from list. * 51/04
18495	- Channel Buoy 7						Remove from list. * 51/04
21000	- Aquaculture Buoy						Remove from list. * 51/04
21005	- Aquaculture Buoy						Remove from list. * 51/04
23883	University of Connecticut Environmental Monitoring Buoy B						Remove from list. * 51/04
23893	University of Connecticut Environmental Monitoring Lighted Buoy A.						Remove from list. * 51/04
*34177	- Daybeacon D18					Red pointer on pile.	Private aid. 51/04
39470	BLUFF POINT LIGHT	44 37 21 N 73 25 50 W	FI W 4s	95	7	In abandoned light house tower.	51/04
				*	*	*	51/04
39700	- NORTH DOLPHIN LIGHT						Remove from list. * 51/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
625	Cape Hatteras Light	35 15 02 N 75 31 44 W	FI W 7.5s	192	24	Black and white spirally banded tower, red brick base with granite corners.	51/04
		*					51/04
1195	- BREAKWATER LIGHT 7						Remove from list. * 51/04
*19677	- LIGHT 4		FI R 4s	15	3	TR on pile.	51/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Rhodes Point Gut Channel							
22990	- Daybeacon 1	37 58 08 N 76 01 34 W				SG on pile.	
		*					51/04
Chester River							
26585	Queenstown Creek Buoy 2Q	39 00 16 N 76 10 24 W				Red nun.	
	*						51/04
26590	- Queenstown Creek Warning Daybeacon A	39 00 02 N 76 10 04 W				NW on pile worded DANGER SHOAL.	
	*	*				*	51/04
*26593	- Queenstown Creek Buoy 3					Green can.	
							51/04
26650	NICHOLS POINT LIGHT						Remove from list.
							* 51/04
*26706	Nichols Point Warning Daybeacon A	39 05 34 N 76 09 52 W				NW on pile worded DANGER WRECKAGE.	
							51/04
*26707	- CHANNEL LIGHT 17		FI G 4s	15	4	SG on Multi-pile.	
							51/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6180 37245	JEKYLL ISLAND RANGE FRONT LIGHT 1	31 06 06 N 81 26 06 W	Q G	18		SG-SY on dolphin.	Visible 1.5° each side of rangeline. Passing light visible all around.
	*	*	*	*		*	* 51/04
*6182 37247	JEKYLL ISLAND RANGE FRONT LIGHT PASSING LIGHT	31 06 06 N 81 26 06 W	Q G	18		On same structure as Jekyll Island Range Front Light 1.	
							51/04
*6183	JEKYLL ISLAND RANGE REAR LIGHT 1126 yards, 216° from front light.		Iso G 6s	47		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline.
							51/04
6185 37250	JEKYLL ISLAND RANGE REAR LIGHT 600 yards, 217.3° from front light.						Remove from list.
							* 51/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9540.5	- Buoy 7A						Remove from list. * 51/04
20354	- Shoal Daybeacon A						Remove from list. * 51/04
20354.1	- Shoal Daybeacon B						Remove from list. * 51/04
20354.2	- Shoal Daybeacon C						Remove from list. * 51/04
20354.3	- Shoal Daybeacon D						Remove from list. * 51/04
25700	- LIGHT 7	27 57 54 N 82 49 48 W	FI G 4s	10	4	SG on pile.	* 51/04
28775	- ENTRANCE LIGHT 1	28 54 42 N 82 44 54 W	FI G 4s	15	4	SG on pile.	* 51/04
30525.5	- LIGHT 22		Q R	16	3	TR on pile.	* 51/04
30550.5	- LIGHT 29		Q G	16	3	SG on pile.	* 51/04
30560.5	- LIGHT 32		Q R	16	3	TR on pile.	* 51/04
30580.8	- LIGHT 47		Q G	16	3	SG on pile.	51/04
ST. SIMONS SOUND TO TOLOMATO RIVER (Chart 11489)							
St. Simons Sound-Fernandina Beach							
37245 6180	JEKYLL ISLAND RANGE FRONT LIGHT 1	31 06 06 N 81 26 06 W	Q G	18		SG-SY on dolphin.	Visible 1.5° each side of rangeline. Passing light visible all around.
	*	*	*			*	* 51/04
*37247 6182	JEKYLL ISLAND RANGE FRONT LIGHT PASSING LIGHT	31 06 06 N 81 26 06 W	Q G	18		On same structure as Jekyll Island Range Front Light 1.	51/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
37250 6185	JEKYLL ISLAND RANGE REAR LIGHT 600 yards, 217.3° from front light.						Remove from list.
							* 51/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
20995	HAYMARK TERMINAL OIL DOCK LIGHTS (2)						Remove from list.
							* 51/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
191.1	- Research Lighted Buoy						Remove from list.
							* 51/04
191.4	- Research Lighted Buoy						Remove from list.
							* 51/04
191.8	- Research Lighted Buoy						Remove from list.
							* 51/04
217	NOAA Enviromental Lighted Buoy 46062(ODAS)						Remove from list.
							* 51/04
605	Cape Arago Light	43 20 28 N 124 22 31 W	FI (3) W 30s 0.1s fl 4.9s ec. 0.1s fl 4.9s ec. 0.1s fl 19.9s ec.	100	17	White octagonal tower attached to building. 44	Obscured from 315° to 069°. Lighted throughout 24 hours. Emergency light Iso W 6s, operates at reduced intensity. HORN: 1 blast ev 30s (3s bl). Fog signal maintained from Apr. 15 to Oct. 15.
			*				* 51/04
8920	- LIGHT 17	43 24 16 N 124 16 50 W	FI G 4s	17	4	SG on dolphin.	
						*	51/04
8940	JARVIS DIKE 6.8 LIGHT 19	43 25 01 N 124 16 36 W	FI G 4s	15	4	SG on dolphin.	
						*	51/04
8955	- Channel Lighted Buoy 23	43 25 23 N 124 16 00 W	FI G 2.5s		4	Green.	
						*	51/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9030	- CHANNEL LIGHT 35	43 24 35 N 124 13 04 W	FI G 2.5s	16	4	SG on dolphin.	
					*		51/04
9101	- ENTRANCE LIGHT 1	43 22 31 N 124 11 15 W	FI G 4s	14	4	SG on pile.	
					*		51/04
10080	- WEST BASIN LIGHT 2	46 11 28 N 123 51 21 W	FI R 4s	16		On breakwater.	Private aid.
		*				*	51/04
*10084	- WEST BASIN BREAKWATER LIGHT	46 11 27 N 123 51 18 W	FI Y 4s	19		On breakwater.	Private aid.
							51/04
*10122	- EAST BASIN WEST ENTRANCE LIGHT 1	46 11 45 N 123 48 25 W	FI G 4s	20		On breakwater.	Private aid.
							51/04
*10123	- EAST BASIN WEST ENTRANCE LIGHT 2	46 11 44 N 123 48 28 W	FI R 2.5s	20		On breakwater.	Private aid.
							51/04
*10124	- EAST BASIN WEST ENTRANCE LIGHT 3	46 11 42 N 123 48 26 W	FI G 4s	20		On breakwater.	Private aid.
							51/04
*10125	- EAST BASIN WEST ENTRANCE LIGHT 4	46 11 44 N 123 48 26 W	FI R 2.5s	20		On breakwater.	Private aid.
							51/04
*10126	- EAST BASIN EAST ENTRANCE LIGHT 1	46 11 50 N 123 47 58 W	FI G 2.5s	20		On breakwater.	Private aid.
							51/04
*10127	- EAST BASIN EAST ENTRANCE LIGHT 2	46 11 51 N 123 47 57 W	FI R 4s	20		On breakwater.	Private aid.
							51/04
27827	ST. GEORGE HARBOR ENTRANCE LIGHT 1	56 34 11 N 169 40 22 W	FI G 4s			SG on tower.	
	*						51/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2110	- West Channel Buoy 3					Green can.	Maintained from May 14 to Nov 1.
							* 51/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2115	- West Channel Buoy 5					Green can.	Maintained from May 14 to Nov 1. * 51/04
2120	- West Channel Buoy 7					Green can.	Maintained from May 14 to Nov 1. * 51/04
LAKE HURON (Chart 14860)							
10010	NOAA Lighted Weather Buoy 45008	44 16 30 N 82 24 54 W	Fl (4) Y 20s 1s fl 1.5s ec. 1s fl 1.5s ec. 1s fl 1.5s ec. 1s fl 11.5s ec.			Yellow disc-shaped hull.	Replaced by can from Apr. 1 to Dec. 1. * 51/04
*10745	Bay City Yacht Club North Basin Buoy 1	43 38 37 N 83 51 00 W				Green can.	Maintained from May 1 to Oct 15. Private aid. 51/04
*10746	Bay City Yacht Club North Basin Buoy 2	43 38 37 N 83 51 00 W				Red nun.	Maintained from May 1 to Oct 15. Private aid. 51/04
*10747	Bay City Yacht Club North Basin Buoy 3					Green can.	Maintained from May 1 to Oct 15. Private aid. 51/04
*10748	Bay City Yacht Club North Basin Buoy 4					Red nun.	Maintained from May 1 to Oct 15. Private aid. 51/04
*10749	Bay City Yacht Club North Basin Buoy 5					Green can.	Maintained from May 1 to Oct 15. Private aid. 51/04
*10750	Bay City Yacht Club North Basin Buoy 6					Red nun.	Maintained from May 1 to Oct 15. Private aid. 51/04
*10751	Bay City Yacht Club South Basin Buoy 1	43 38 29 N 83 51 00 W				Green can.	Maintained from May 1 to Oct 15. Private aid. 51/04
*10752	Bay City Yacht Club South Basin Buoy 2	43 38 30 N 83 51 00 W				Red nun.	Maintained from May 1 to Oct 15. Private aid. 51/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*10753	Bay City Yacht Club South Basin Buoy 3					Green can.	Maintained from May 1 to Oct 15. Private aid. 51/04
*10754	Bay City Yacht Club South Basin Buoy 4					Red nun.	Maintained from May 1 to Oct 15. Private aid. 51/04
21360	- Channel Lighted Buoy 4	45 20 13 N 86 56 07 W	FI R 4s		4	Red.	Replaced by nun from Nov. 7 to May 7. 51/04
		*					
*21682	Escanaba River Buoy 1	45 46 34 N 87 03 21 W	FI G 4s			Green can.	Maintained from 01 May to 15 Nov. Private aid. 51/04
*21682.1	Escanaba River Buoy 2	45 46 35 N 87 03 19 W	FI R 4s			Red nun.	Maintained from 01 May to 15 Nov. Private aid. 51/04
*21682.2	Escanaba River Buoy 3					Green can.	Maintained from 01 May to 15 Nov. Private aid. 51/04
*21682.3	Escanaba River Buoy 4					Red nun.	Maintained from 01 May to 15 Nov. Private aid. 51/04
*21682.4	Escanaba River Buoy 5					Green can.	Maintained from 01 May to 15 Nov. Private aid. 51/04
*21682.5	Escanaba River Buoy 6					Red nun.	Maintained from 01 May to 15 Nov. Private aid. 51/04
*21682.6	Escanaba River Buoy 7					Green can.	Maintained from 01 May to 15 Nov. Private aid. 51/04
*21682.7	Escanaba River Buoy 8					Red nun.	Maintained from 01 May to 15 Nov. Private aid. 51/04
*21682.8	Escanaba River Buoy 9					Green can.	Maintained from 01 May to 15 Nov. Private aid. 51/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*21682.9	Escanaba River Buoy 10					Red nun.	Maintained from 01 May to 15 Nov. Private aid. 51/04
*21683	Escanaba River Buoy 11					Green can.	Maintained from 01 May to 15 Nov. Private aid. 51/04
*21683.1	Escanaba River Buoy 12					Red nun.	Maintained from 01 May to 15 Nov. Private aid. 51/04
*21683.2	Escanaba River Buoy 13					Green can.	Maintained from 01 May to 15 Nov. Private aid. 51/04
*21683.3	Escanaba River Buoy 14					Red nun.	Maintained from 01 May to 15 Nov. Private aid. 51/04
*21683.4	Escanaba River Buoy 16					Red nun.	Maintained from 01 May to 15 Nov. Private aid. 51/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
 Denotes a new entry when preceding the station number.